



**Safety Data Sheet
according to WHS Regulations**

Printing date 21.01.2019

Version number 4

Revision: 21.01.2019

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

· **Product identifier**

· **Trade name:** **Activator Universal Plus Paste**

· **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.

· **Application of the substance / the mixture** Activator for dental impression material

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Kulzer Australia Pty Ltd
11 – 21 Underwood Rd
HOMEBUSH NSW 2140
Australia

Tel: +61 (0) 2 9764 5222

· **Informing department:** see above

· **Emergency telephone number:**

Poison Information Number: Australia 13 11 26 & New Zealand 0800 764 766

2 Hazard(s) Identification

· **Classification of the substance or mixture**

Flam. Liq. 3 H226 Flammable liquid and vapour.

Acute Tox. 4 H332 Harmful if inhaled.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

· **Label elements**

· **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS02 GHS07 GHS08

· **Signal word** Warning

· **Hazard-determining components of labelling:**

tetraethyl orthosilicate

dioctyltin oxide

tetramethyl orthosilicate

· **Hazard statements**

Flammable liquid and vapour.

Harmful if inhaled.

Causes serious eye irritation.

May cause damage to organs through prolonged or repeated exposure.

· **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting equipment.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 2)

AUS



**Safety Data Sheet
according to WHS Regulations**

Printing date 21.01.2019

Version number 4

Revision: 21.01.2019

Trade name: Activator Universal Plus Paste

(Contd. of page 1)
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- **Other hazards -**
- **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.

3 Composition and Information on Ingredients

- **Chemical characterisation: Mixtures**

- **Description: -**

- **Dangerous components:**

CAS: 78-10-4	tetraethyl orthosilicate	10-25%
EINECS: 201-083-8	Flam. Liq. 3, H226; Acute Tox. 4, H332; Eye Irrit. 2A, H319; STOT SE 3, H335	
CAS: 870-08-6	dioctyltin oxide	10-25%
EINECS: 212-791-1	STOT RE 2, H373	

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- **Description of first aid measures**

- **General information**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- **After inhalation** Supply fresh air; consult doctor in case of symptoms.

- **After skin contact**

Instantly rinse with water.

If skin irritation continues, consult a doctor.

- **After eye contact**

Rinse opened eye for several minutes under running water. Then consult doctor.

- **After swallowing**

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

- **Information for doctor**

- **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire Fighting Measures

- **Extinguishing media**

- **Suitable extinguishing agents**

CO₂, extinguishing powder or water jet. Fight larger fire with alcohol-resistant foam.

- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.

- **Special hazards arising from the substance or mixture**

Can form explosive gas-air mixtures.

Carbon monoxide (CO)

Carbon dioxide (CO₂)

Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 3)

AUS



**Safety Data Sheet
according to WHS Regulations**

Printing date 21.01.2019

Version number 4

Revision: 21.01.2019

Trade name: Activator Universal Plus Paste

- **Advice for firefighters**
- **Protective equipment:** Put on breathing apparatus.
- **Additional information -**

(Contd. of page 2)

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Do not allow to enter drainage system, surface or ground water.
Do not allow to enter the ground/soil.
- **Methods and material for containment and cleaning up:**
Collect mechanically.
Send for recovery or disposal in suitable containers.
- **Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.
-

7 Handling and Storage

- **Handling**
 - **Precautions for safe handling**
Keep containers tightly sealed.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Please observe the additional instructions in the product's instructions for use.
 - **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
 - **Storage**
 - **Requirements to be met by storerooms and containers:** No special requirements.
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:**
Store under dry conditions.
Store container in a well ventilated position.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with critical values that require monitoring at the workplace:**

78-10-4 tetraethyl orthosilicate

WES (Australia)	Long-term value: 85 mg/m ³ , 10 ppm
PEL (USA)	Long-term value: 850 mg/m ³ , 100 ppm
REL (USA)	Long-term value: 85 mg/m ³ , 10 ppm
TLV (USA)	Long-term value: 85 mg/m ³ , 10 ppm

(Contd. on page 4)

AUS



**Safety Data Sheet
according to WHS Regulations**

Printing date 21.01.2019

Version number 4

Revision: 21.01.2019

Trade name: Activator Universal Plus Paste

(Contd. of page 3)

· DNELs

78-10-4 tetraethyl orthosilicate

Dermal	worker industr., acute, syst.	12.1 mg/Kg/d (human)
	worker industr., l.te., syst.	12.1 mg/Kg/d (human)
	ge.pop., acu., syst.	8.4 mg/Kg/d (human)
	ge.pop., l.te., syst.	8.4 mg/Kg/d (human)
Inhalative	worker industr., acute, syst.	85 mg/m3 (human)
	worker industr., l.te., syst.	85 mg/m3 (human)
	ge.pop., l.te., syst.	25 mg/m3 (human)

· PNECs

78-10-4 tetraethyl orthosilicate

freshwater	0.192 mg/l (aqua)
marine water	0.0192 mg/l (aqua)
interm. wat. release	10 mg/l (aqua)
sedim., dw, fre.wat.	0.18 mg/Kg (sediment)
soil,dw	0.05 mg/Kg (soil)

· Additional information: The lists that were valid during the compilation were used as basis.

· Exposure controls

· Personal protective equipment

· General protective and hygienic measures

- Avoid contact with the eyes.
- Keep away from foodstuffs, beverages and food.
- Instantly remove any soiled and impregnated garments.
- Wash hands during breaks and at the end of the work.
- Avoid contact with the eyes and skin.
- Breathing equipment:** Use breathing protection in case of insufficient ventilation.

· Protection of hands:

- Impervious gloves
- Check protective gloves prior to each use for their proper condition.
- recommended

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

- Butyl rubber, BR
- Nitrile rubber, NBR

· Eye protection: Tightly sealed safety glasses.

· Body protection: Protective work clothing.

AUS

(Contd. on page 5)

**Safety Data Sheet
according to WHS Regulations**

Printing date 21.01.2019

Version number 4

Revision: 21.01.2019

Trade name: Activator Universal Plus Paste

(Contd. of page 4)

9 Physical and Chemical Properties**· Information on basic physical and chemical properties****· General Information****· Appearance:**

- **Form:** Pasty
- **Colour:** Red
- **Smell:** Aromatic
- **Odour threshold:** Not determined.

· pH-value: Not determined.**· Change in condition**

- **Melting point/freezing point:** Not determined
- **Initial boiling point and boiling range:** 166 °C

· Flash point: 48 °C**· Inflammability (solid, gaseous)** Not applicable.**· Ignition temperature:** 234 °C**· Decomposition temperature:** Not determined.**· Self-inflammability:** Product is not selfigniting.**· Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures is possible.**· Critical values for explosion:**

- **Lower:** 1,3 Vol %
- **Upper:** 23 Vol %

· Steam pressure at 20 °C: 1,7 hPa**· Density at 20 °C** 1,15 g/cm³

- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not determined.

· Solubility in / Miscibility with**· Water:** Not miscible or difficult to mix**· Partition coefficient: n-octanol/water:** Not determined.**· Viscosity:**

- **dynamic:** Not determined.
- **kinematic:** Not determined.

· Solvent content:**· Solids content:** 80,0 %**· Other information** No further relevant information available.**10 Stability and Reactivity****· Reactivity** No further relevant information available.**· Chemical stability****· Conditions to be avoided:** No decomposition if used and stored according to specifications.**· Possibility of hazardous reactions** No dangerous reactions known**· Conditions to avoid** No further relevant information available.**· Incompatible materials:** No further relevant information available.

(Contd. on page 6)

AUS



**Safety Data Sheet
according to WHS Regulations**

Printing date 21.01.2019

Version number 4

Revision: 21.01.2019

Trade name: Activator Universal Plus Paste

- **Hazardous decomposition products:** None
- **Additional information:** -

(Contd. of page 5)

11 Toxicological Information

- **Information on toxicological effects**

- **Acute toxicity**

- **LD/LC50 values that are relevant for classification:**

112945-52-5 Kieselsäuren, amorphe

Oral	LD50	>10,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)

78-10-4 tetraethyl orthosilicate

Oral	LD50	6,270 mg/kg (rat)
Dermal	LD50	5,878 mg/kg (can)

870-08-6 dioctyltin oxide

Oral	LD50	>4,000 mg/kg (rat)
------	------	--------------------

681-84-5 tetramethyl orthosilicate

Oral	LD50	700 mg/kg (rat)
------	------	-----------------

- **Primary irritant effect:**

- **Serious eye damage/irritation** Irritant effect.
- **Respiratory or skin sensitisation** No sensitizing effect known.
- **Additional toxicological information:** Harmful
- **Sensitisation** Guinea-Pig Maximisation Test (OECD 406): positive

12 Ecological Information

- **Toxicity**

- **Aquatic toxicity:**

112945-52-5 Kieselsäuren, amorphe

LC50/96h	>10,000 mg/l (fish)
----------	---------------------

78-10-4 tetraethyl orthosilicate

EC50/48h	>844 mg/l (daphnia)
----------	---------------------

870-08-6 dioctyltin oxide

EC50/48h	6.9 mg/l (daphnia)
----------	--------------------

LC50/96h	13 mg/l (fish)
----------	----------------

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
 - **Bioaccumulative potential** No further relevant information available.
 - **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
 - **General notes:**
 - Avoid transfer into the environment.
 - Do not allow product to reach ground water, water bodies or sewage system.
 - Danger to drinking water if even small quantities leak into soil.
- **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.

(Contd. on page 7)

AUS



**Safety Data Sheet
according to WHS Regulations**

Printing date 21.01.2019

Version number 4

Revision: 21.01.2019

Trade name: Activator Universal Plus Paste



· **Other adverse effects** No further relevant information available.

(Contd. of page 6)

13 Disposal considerations

- **Waste treatment methods**
 - **Recommendation** Smaller quantities can be disposed with household garbage.
- **Uncleaned packagings:**
 - **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|---|---|
| · UN-Number
· ADG, IMDG, IATA | UN1993 |
| · UN proper shipping name
· ADG
· IMDG, IATA | 1993 FLAMMABLE LIQUID, N.O.S. (TETRAETHYL SILICATE, METHYL ORTHOSILICATE)
FLAMMABLE LIQUID, N.O.S. (TETRAETHYL SILICATE, METHYL ORTHOSILICATE) |
| · Transport hazard class(es)
· ADG | |
|  | |
| · Class
· Label | 3 (F1) Flammable liquids.
3 |
| · IMDG, IATA | |
|  | |
| · Class
· Label | 3 Flammable liquids.
3 |
| · Packing group
· ADG, IMDG, IATA | III |
| · Environmental hazards:
· Marine pollutant: | No |
| · Special precautions for user
· Kemler Number:
· EMS Number:
· Stowage Category | Warning: Flammable liquids.
30
F-E, S-E
A |
| · Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| · Transport/Additional information: | - |

(Contd. on page 8)

AUS



**Safety Data Sheet
according to WHS Regulations**

Printing date 21.01.2019

Version number 4

Revision: 21.01.2019

Trade name: Activator Universal Plus Paste

(Contd. of page 7)

· **ADG**

- **Limited quantities (LQ)**
- **Excepted quantities (EQ)**

5L

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

- **Transport category**

3

- **Tunnel restriction code**

D/E

· **IMDG**

- **Limited quantities (LQ)**
- **Excepted quantities (EQ)**

5L

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

- **UN "Model Regulation":**

UN 1993 FLAMMABLE LIQUID, N.O.S.
(TETRAETHYL SILICATE, METHYL
ORTHOSILICATE), 3, III

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
 - **Directive 2012/18/EU**
 - **Named dangerous substances - ANNEX I** None of the ingredients is listed.
 - **Seveso category P5c** FLAMMABLE LIQUIDS
 - **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t
 - **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t
 - **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEL: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

(Contd. on page 9)

AUS



Safety Data Sheet
according to WHS Regulations

Printing date 21.01.2019

Version number 4

Revision: 21.01.2019

Trade name: Activator Universal Plus Paste

Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

(Contd. of page 8)

AUS