

No. 1907/2006 (REACH)
Printed 14.04.2016

revision 14.04.2016 (GB) Version 1.0 **MK-dent PREMIUM SERVICE ÖL (LU1011)** 

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product MK-dent PREMIUM SERVICE ÖL (LU1011)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Sector of uses [SU]

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Recommended intended purpose(s)

**lubricant** 

1.3. Details of the supplier of the safety data sheet

Manufacturer/distributor MK-dent Australia Pty Ltd

U14/1, Ricketts Road, Mount Waverley, Vic - 3149 Phone +61/3/9544 6980, Fax +61/3/9544 6946

E-Mail info@mk-dent.com.au Internet www.mk-dent.com.au

**Advice** Produktinformation

Phone +61/3/9544 6980 Fax +61/3/9544 6946

1.4. Emergency telephone number

Emergency advice Poison Information Center Australia

Phone +61/13 11 26

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Classification according to 67/548/EEC or 1999/45/EC

F+; R12 R52/53

R-phrases

12 Extremely flammable.

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard Hazard Statements Classification procedure

categories

Aerosol 1 H222, H229 Aquatic Chronic 3 H412

Hazard statements for physical hazards

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

Hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

2.2. Label elements



No. 1907/2006 (REACH)
Printed 14.04.2016

revision 14.04.2016 (GB) Version 1.0 **MK-dent PREMIUM SERVICE ÖL (LU1011)** 

## Labelling according to 1999/45/EC

#### Remarks for labelling

The product is classified and labelled in accordance with EC directives.

F+ Extremely flammable



#### R-phrases

12 Extremely flammable.

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrases

1/2 Keep locked up and out of the reach of children.16 Keep away from sources of ignition - No smoking.

23 Do not breathe spray.

61 Avoid release to the environment. Refer to special instructions/safety data sheets.

7 Keep container tightly closed.

9 Keep container in a well-ventilated place.

#### Special rules for supplemental label elements for certain mixtures

Keep away from sources of ignition - No smoking

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

Keep out of the reach of children.

## 2.3. Other hazards

# Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

not applicable

# 3.2. Mixtures

#### **Description**

ester oil

# **Hazardous ingredients**

| CAS No   | EC No     | Name     | [%<br>weight] | Classification according to 67/548/EEC                                                                                                 |
|----------|-----------|----------|---------------|----------------------------------------------------------------------------------------------------------------------------------------|
| 111-65-9 | 203-892-1 | n-octane | 4,1           | F R11; Xn R65; Xi R38; R67; N R50-53                                                                                                   |
| CAS No   | EC No     | Name     | [%<br>weight] | Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]                                                                     |
| 111-65-9 | 203-892-1 | n-octane | 4,1           | Flam. Liq. 2, H225 / Asp. Tox. 1, H304 / Skin<br>Irrit. 2, H315 / STOT SE 3, H336 / Aquatic<br>Acute 1, H400 / Aquatic Chronic 1, H410 |



No. 1907/2006 (REACH)
Printed 14.04.2016

revision 14.04.2016 (GB) Version 1.0 **MK-dent PREMIUM SERVICE ÖL (LU1011)** 

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Remove contaminated soaked clothing immediately.

In the event of persistent symptoms receive medical treatment.

Take affected person into fresh air.

#### In case of inhalation

Remove the casualty into fresh air and keep him immobile.

In the event of symptoms refer for medical treatment.

#### In case of skin contact

In case of irritation consult a doctor.

In case of contact with skin wash off with water.

#### In case of eye contact

In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

Remove contact lens

#### In case of ingestion

Do not induce vomiting.

Medical treatment.

Rinse out mouth thoroughly with water.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

**Treatment (Advice to doctor)** 

Treat symptoms.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Dry fire-extinguishing substance

Carbon dioxide

Water spray jet

# Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

Fire gas of organic material has to be classed invariably as respiratory poison.

Nitrogen oxides (NOx)

Carbon monoxide (CO)

Carbon dioxide (CO2)

# 5.3. Advice for firefighters

## Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply.

Breathing protection and eye protection is required for fire-fighting under presence of fume and vapour

#### **Additional information**

Cool endangered containers with water spray and possibly remove them from fire site.

Collect contaminated firefighting water separately, must not be discharged into the drains.



No. 1907/2006 (REACH)
Printed 14.04.2016

revision 14.04.2016 (GB) Version 1.0 **MK-dent PREMIUM SERVICE ÖL (LU1011)** 

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

## For non-emergency personnel

Avoid skin and eye contact

#### For emergency responders

Remove persons to safety.

Keep people away and stay on the upwind side.

Use personal protective clothing.

Keep away sources of ignition.

#### 6.2. Environmental precautions

Do not discharge into the drains or bodies of water..

#### 6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand, kieselguhr, acid binder, general-purpose binder, sawdust).

Take up with absorbent material.

#### **Additional Information**

Inform competent authorities in case of leakage to sewage system/surface water/groundwater.

# 6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

Personal protection equipment: see section 8

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid formation of aerosols.

## **General protective measures**

Take the usual precautions when handling with chemicals.

# Hygiene measures

Please observe work hygiene regulations.

At work do not eat, drink and smoke.

Remove soiled or soaked clothing immediately.

# Advice on protection against fire and explosion

Pay attention to general rules of internal fire prevention.

#### 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep in closed original container.

#### Advice on storage compatibility

Keep away from foods and beverages

Keep away from ignition sources.

Store at distance to oxidising agents.

Do not store together with alkalies.

Keep at distance to acids.

## Further information on storage conditions

Keep container tightly closed and store at cool and aired place.

Protect from direct solar radiation.

Protect from heat and direct solar radiation.



No. 1907/2006 (REACH) Printed 14.04.2016

revision 14.04.2016 (GB) Version 1.0 **MK-dent PREMIUM SERVICE ÖL (LU1011)** 

# 7.3. Specific end use(s) Recommendation(s) for intended use

See section 1.2

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No information available.

### 8.2. Exposure controls

#### Respiratory protection

In case of insufficient ventilation or long-term effect use breathing apparatus.

Breathing apparatus in the event of aerosol or mist formation.

#### Hand protection

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]: Nitrilrubber (index 1) The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN374.

The exact breakthrough time of the glove material is to be inquired from the protection glove manufacturer and must be strictly adhered to.

#### Eye protection

safety goggles with side protection

#### Other protection measures

Protective clothing

# Appropriate engineering controls

Sufficient ventilation and exhaustion.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

AppearanceColourOdouraerosolyellowishcharacteristic

Odour threshold No data available

## Important health, safety and environmental information

|                                     | Value          | Temperature | at | Method | Remark |
|-------------------------------------|----------------|-------------|----|--------|--------|
| pH value                            | not determined |             |    |        |        |
| Boiling temperature / boiling range | not determined |             |    |        |        |
| Melting point / Freezing point      | not determined |             |    |        |        |
| Flash point                         | ca80 °C        |             |    |        |        |
| Vapourisation rate                  | not determined |             |    |        |        |
| Flammable (solid)                   | not determined |             |    |        |        |
| Flammability (gas)                  | not determined |             |    |        |        |



No. 1907/2006 (REACH) Printed 14.04.2016

revision 14.04.2016 (GB) Version 1.0 **MK-dent PREMIUM SERVICE ÖL (LU1011)** 

|                                                          | Value             | Temperature | at | Method | Remark    |
|----------------------------------------------------------|-------------------|-------------|----|--------|-----------|
| Ignition temperature                                     | ca. 400 °C        |             |    |        |           |
| Self ignition temperature                                | not determined    |             |    |        |           |
| Lower explosion limit                                    | not determined    |             |    |        |           |
| Upper explosion limit                                    | not determined    |             |    |        |           |
| Vapour pressure                                          | not determined    |             |    |        |           |
| Relative density                                         | not determined    |             |    |        |           |
| Vapour density                                           | not determined    |             |    |        |           |
| Solubility in water                                      |                   |             |    |        | insoluble |
| Solubility/other                                         | not determined    |             |    |        |           |
| Partition coefficient noctanol/water (log P O/W)         | not determined    |             |    |        |           |
| Decomposition temperature                                | not determined    |             |    |        |           |
| Viscosity                                                | not determined    |             |    |        |           |
| Oxidising properties No information available.           |                   |             |    |        |           |
| <b>Explosive properties</b> Bildung explosionsfähiger Da | mpf-/Luftgemische | e möglich.  |    |        |           |
| 9.2. Other information no                                |                   |             |    |        |           |

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No hazardous reactions known.

# 10.2. Chemical stability

Stable under the stated storage temperature.

# 10.3. Possibility of hazardous reactions

Reactions with strong acids and alkalies. Reactions with oxidising agents.

# 10.4. Conditions to avoid

strong heating sunlight

# 10.5. Incompatible materials Substances to avoid

strong acids oxidizing agent alkalis



No. 1907/2006 (REACH) Printed 14.04.2016

revision 14.04.2016 (GB) Version 1.0 **MK-dent PREMIUM SERVICE ÖL (LU1011)** 

# 10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide.

# Thermal decomposition

Remark No decomposition if used as directed.

#### **Additional information**

No risk of production of decomposition products when appropriately handled and stored

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

# Acute toxicity/Irritation/Sensitization

|                                  | Value/Validation                             | Species | Method | Remark |  |
|----------------------------------|----------------------------------------------|---------|--------|--------|--|
| LD50 acute oral                  | No data available                            |         |        |        |  |
| LD50 acute dermal                | No data available                            |         |        |        |  |
| LC50 acute inhalation            | No data available                            |         |        |        |  |
| Skin irritation                  | low irritant effect - not necessary to label |         |        |        |  |
| Eye irritation                   | low irritant - no labeling duty              |         |        |        |  |
| Skin sensitization               | No data available                            |         |        |        |  |
| Sensitization respiratory system | No data available                            |         |        |        |  |

# **Subacute Toxicity - Carcinogenicity**

| •                                                | •                 |         |        |            |
|--------------------------------------------------|-------------------|---------|--------|------------|
|                                                  | Value             | Species | Method | Validation |
| Subacute Toxicity                                | No data available |         |        |            |
| Subchronic Toxicity                              | No data available |         |        |            |
| Chronic Toxicity                                 | No data available |         |        |            |
| Mutagenicity                                     | No data available |         |        |            |
| Reproduction-<br>Toxicity                        | No data available |         |        |            |
| Carcinogenicity                                  | No data available |         |        |            |
| Specific target organ toxicity (single exposure) |                   |         |        |            |

nc

Specific target organ toxicity (repeated exposure)

no



No. 1907/2006 (REACH)
Printed 14.04.2016

revision 14.04.2016 (GB) Version 1.0 **MK-dent PREMIUM SERVICE ÖL (LU1011)** 

### **Aspiration hazard**

no

#### **Toxicity test (Additional information)**

No data available

#### **Experiences made from practice**

No data available

#### **Additional information**

No toxical dates available.

Other hazardous properties may not be excluded.

The product is to be handled with the caution usual with chemicals.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

# **Ecotoxicological effects**

|         | Value              | Species | Method | Validation |  |
|---------|--------------------|---------|--------|------------|--|
| Fish    | No data available. |         |        |            |  |
| Daphnia | No data available. |         |        |            |  |
| Algae   | No data available. |         |        |            |  |

Bacteria No data available.

# 12.2. Persistence and degradability

| Elimination rate | Method of analysis | Method | Validation |  |
|------------------|--------------------|--------|------------|--|
|------------------|--------------------|--------|------------|--|

Physico-chemical degradability

No data available.

acgradability

Biological degradability

No data available.

Degradability

No data available.

# 12.3. Bioaccumulative potential

No data available

# 12.4. Mobility in soil

No data available

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Other adverse effects

# **General regulation**

While intended handling are no environmental pollutions admits and to expect.

Ecological dates are not available.

Do not allow uncontrolled leakage of product into the environment.



No. 1907/2006 (REACH)
Printed 14.04.2016

revision 14.04.2016 (GB) Version 1.0 **MK-dent PREMIUM SERVICE ÖL (LU1011)** 

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste code No. Name of waste
15 01 04 metallic packaging

#### Recommendations for the product

Consult the appropriate local waste disposal expert about waste disposal.

Remove in accordance with local official regulations.

#### Recommendations for packaging

Dispose of in accordance with legal regulations.

Packaging that cannot be cleaned should be disposed of like the product.

#### **General information**

The waste code must be allocated in compliance with the EAK-regulation referring to the specific process and the sector.

The classification of waste is always the responsibility of the end user.

# **SECTION 14: Transport information**

|                                  | ADR/RID  | IMDG     | IATA-DGR            |
|----------------------------------|----------|----------|---------------------|
| 14.1. UN number                  | 1950     | 1950     | 1950                |
| 14.2. UN proper shipping name    | AEROSOLS | AEROSOLS | Aerosols, flammable |
| 14.3. Transport hazard class(es) | 2.1      | 2.1      | 2.1                 |
| 14.4. Packing group              | -        | -        | -                   |
| 14.5. Environmental hazards      | No       | No       | No                  |

## 14.6. Special precautions for user

No information available.

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

# Land and inland navigation transport ADR/RID

Hazard label(s) 2.1 tunnel restriction code D Classification code 5F

# **SECTION 15: Regulatory information**

# **15.1.** Safety, health and environmental regulations/legislation specific for the substance or mixture No information available.

## 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.



No. 1907/2006 (REACH)
Printed 14.04.2016

revision 14.04.2016 (GB) Version 1.0 **MK-dent PREMIUM SERVICE ÖL (LU1011)** 

# **SECTION 16: Other information**

# Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

#### **Further information**

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

#### Sources of key data used

Data sheets of the sub-supplier.

## Wording of the R/H-phrases specified in chapter 3 (not the classification of the mixture!)

R 11 Highly flammable.

R 38 Irritating to skin.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R 65 Harmful: may cause lung damage if swallowed.

R 67 Vapours may cause drowsiness and dizziness.

| H225 | Highly flammable liquid and vapour.  |
|------|--------------------------------------|
| H3U1 | May be fatal if swallowed and entere |

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.